




# SPEEDY LINE

Raytech, leader in the field of cable accessories, has always based its research and product line on the quality. This is why Raytech offers in the field of pulling tapes and lubricants too, systems of extremely high reliability and quality, always over the conventional types offered by the market:


- These fixed head, interchangeable nylon fishtapes are constructed with very high mechanical characteristic, long-lasting materials. Speedy Sonda tapes are made of PERLON, a practically non-deformable nylon, protecting the installer from unexpected elongation or breakage of the probe in ducts.
- “Twisted” polyester tapes, self-lubricated, extremely flexible and light, with exceptional mechanical characteristics, able to be inserted into long cable ducts, avoid the need of intermediate cable boxes; allowable bending radius is very small and, once bent, they do not break and released they come back to their original shape.
- Fibreglass tapes, thanks to their “nervous” elasticity together with their strength, are easy to use in any type of conduit.
- Nylon-steel tapes, when an exceptional strength is required.
- The widest range of accessories for all the types.
- Raytech offers the widest range of high sliding, non-toxic lubricants that are easily removable from cables. Choose from lubricant oil, lubricant gel (non-drip, allowing for a savings of up to 3 times compared to conventional types) or lubricant spray (easy application directly into the cable ducts, non-drip and dramatically reducing friction and traction force).




|                               |  |  |  |
|-------------------------------|--|---|---|
| PRODUCT                       | Positioning  | Ease of bending   | Pulling resistance  |
| Speedy Nylon and Speedy Sonda | Good   | Good  | Very good   |
| Polyester Speedy Helix        | Very good  | Very good   | Very good   |
| Fibreglass Speedy Glass       | Excellent  | Good  | Good  |
| Nylon-Steel Speedy Steel      | Very good  | Excellent   | Excellent   |



**Speedy Nylon**  
Fixed head Nylon probes



**Speedy Sonda 3**  
Fixed head or interchangeable Nylon Perlon® Ø 3 mm



**Speedy Sonda 4**  
Fixed head or interchangeable Nylon Perlon® Ø 4 mm



**Speedy Helix 5**  
Polyester Ø 5 mm with eyelet and fixed flexible head

## SPEEDY WIRE OIL - SPEEDY WIRE GEL SPEEDY WIRE SPRAY

Lubricants for threading any kind of cable, power, telecom and optical fibre in ducts, smooth or corrugated piping, etc. With a very high lubrication power, especially when compared to products for similar uses, these are easily removable from cables, and require very low installation strength, even in the case of bent conduits.

**Speedy Wire Oil** is a standard, fluid and low viscosity lubricant.

**Speedy Wire Gel**, thanks to its consistency, allows for savings of up to 3 times the amount used compared to other solutions.

**Speedy Wire Spray**, thanks to its canister and dispensing nozzle, allows for suitable guiding of the lubricant, including inside piping and ducts, greatly facilitating application.




| PRODUCT / Item                           | Package    | Wrapping      | Appearance      | PH      | Density    |
|--|------------|---------------|-----------------|---------|------------|
| <b>SPEEDY WIRE OIL</b><br>900000-003     | 1 L bottle | 12-piece pack | Transparent gel | 6 - 8   | About 1    |
| <b>SPEEDY WIRE GEL</b><br>900000-001     | 1 L bottle | 12-piece pack | Milky liquid    | 6 - 8   | About 1    |
| <b>SPEEDY WIRE SPRAY</b><br>SPEEDYWSPRAY | 400 ml can | 12-piece pack | White foam      | 8,5 - 9 | About 1,04 |


## SPEEDY NYLON

Fixed head Nylon transparent cable pullers.


| PRODUCT                    | Item             | Ø (mm) | Length (m) | Pack of (PCS) |
|----------------------------|------------------|--------|------------|---------------|
| <b>SPEEDY NYLON 3/5-F</b>  | SPEEDYNYLON3/5F  | 3      | 5          | 50            |
| <b>SPEEDY NYLON 3/10-F</b> | SPEEDYNYLON3/10F | 3      | 10         | 40            |
| <b>SPEEDY NYLON 3/15-F</b> | SPEEDYNYLON3/15F | 3      | 15         | 30            |
| <b>SPEEDY NYLON 3/20-F</b> | SPEEDYNYLON3/20F | 3      | 20         | 20            |
| <b>SPEEDY NYLON 3/25-F</b> | SPEEDYNYLON3/25F | 3      | 25         | 15            |
| <b>SPEEDY NYLON 4/5-F</b>  | SPEEDYNYLON4/5F  | 4      | 5          | 50            |
| <b>SPEEDY NYLON 4/10-F</b> | SPEEDYNYLON4/10F | 4      | 10         | 25            |
| <b>SPEEDY NYLON 4/15-F</b> | SPEEDYNYLON4/15F | 4      | 15         | 20            |
| <b>SPEEDY NYLON 4/20-F</b> | SPEEDYNYLON4/20F | 4      | 20         | 15            |
| <b>SPEEDY NYLON 4/25-F</b> | SPEEDYNYLON4/25F | 4      | 25         | 12            |



**Speedy Helix 4**  
Polyester Ø 4 mm  
with eyelet and fixed  
flexible head



**Speedy Glass**  
Interchangeable  
head fibreglass  
probe Ø 3 mm



**Speedy Steel**  
Nylon-steel  
probe Ø 6 mm



**Accessories**



### SPEEDY SONDA 3

Nylon tape PERLON® Ø 3 mm with fixed or interchangeable head\*.

**FIXED** head

| PRODUCT             | Item      | Colour      | Ø (mm) | Length (m) | Pack of (PCS) |
|---------------------|-----------|-------------|--------|------------|---------------|
| SPEEDY SONDA 3/5-F  | 7139-0001 | Transparent | 3      | 5          | 50            |
| SPEEDY SONDA 3/10-F | 7139-0002 |             | 3      | 10         | 40            |
| SPEEDY SONDA 3/15-F | 7139-0003 |             | 3      | 15         | 30            |
| SPEEDY SONDA 3/20-F | 7139-0004 |             | 3      | 20         | 20            |

**INTERC.** head\*

|                     |           |             |   |    |    |
|---------------------|-----------|-------------|---|----|----|
| SPEEDY SONDA 3/5-I  | 7139-0005 | Transparent | 3 | 5  | 50 |
| SPEEDY SONDA 3/10-I | 7139-0006 |             | 3 | 10 | 40 |
| SPEEDY SONDA 3/15-I | 7139-0007 |             | 3 | 15 | 30 |
| SPEEDY SONDA 3/20-I | 7139-0008 |             | 3 | 20 | 20 |

Other dimensions available on request

\* Supplied with flexible head curve guide and pulling eyelet.

### SPEEDY SONDA 4

Nylon tape PERLON® Ø 4 mm with fixed or interchangeable head\*.

**FIXED** head

| PRODUCT             | Item      | Colour      | Ø (mm) | Length (m) | Pack of (PCS) |
|---------------------|-----------|-------------|--------|------------|---------------|
| SPEEDY SONDA 4/5-F  | 7139-0009 | Transparent | 4      | 5          | 35            |
| SPEEDY SONDA 4/10-F | 7139-0010 |             | 4      | 10         | 25            |
| SPEEDY SONDA 4/15-F | 7139-0015 |             | 4      | 15         | 20            |
| SPEEDY SONDA 4/20-F | 7139-0012 |             | 4      | 20         | 18            |
| SPEEDY SONDA 4/25-F | 7139-0059 |             | 4      | 25         | 15            |

**INTERC.** head\*

|                     |           |             |   |    |    |
|---------------------|-----------|-------------|---|----|----|
| SPEEDY SONDA 4/5-I  | 7139-0017 | Transparent | 4 | 5  | 35 |
| SPEEDY SONDA 4/10-I | 7139-0018 |             | 4 | 10 | 25 |
| SPEEDY SONDA 4/15-I | 7139-0019 |             | 4 | 15 | 20 |
| SPEEDY SONDA 4/20-I | 7139-0020 |             | 4 | 20 | 18 |
| SPEEDY SONDA 4/25-I | 7139-0058 |             | 4 | 25 | 15 |

**FIXED** head

| PRODUCT               | Item      | Colour | Ø (mm) | Length (m) | Pack of (PCS) |
|-----------------------|-----------|--------|--------|------------|---------------|
| SPEEDY SONDA 4/5-F-N  | 7139-0013 | Black  | 4      | 5          | 35            |
| SPEEDY SONDA 4/10-F-N | 7139-0014 |        | 4      | 10         | 25            |
| SPEEDY SONDA 4/15-F-N | 7139-0011 |        | 4      | 15         | 20            |
| SPEEDY SONDA 4/20-F-N | 7139-0016 |        | 4      | 20         | 18            |
| SPEEDY SONDA 4/25-F-N | 7139-0065 |        | 4      | 25         | 15            |

**INTERC.** head\*

|                       |           |       |   |    |    |
|-----------------------|-----------|-------|---|----|----|
| SPEEDY SONDA 4/5-I-N  | 7139-0021 | Black | 4 | 5  | 35 |
| SPEEDY SONDA 4/10-I-N | 7139-0022 |       | 4 | 10 | 25 |
| SPEEDY SONDA 4/15-I-N | 7139-0023 |       | 4 | 15 | 20 |
| SPEEDY SONDA 4/20-I-N | 7139-0024 |       | 4 | 20 | 18 |
| SPEEDY SONDA 4/25-I-N | 7139-0066 |       | 4 | 25 | 15 |

Other dimensions available on request


\* Supplied with flexible head curve guide and pulling eyelet.




## SPEEDY HELIX 5

Polyester tape Ø 5 mm with fixed eyelet and flexible interchangeable head.

Twisted tapes, very strong, extremely flexible and light. They pass the "4 curves test" on both rigid and corrugated pipes, but they can also avoid to have an intermediate box, and even if bent on themselves they do not break.

| PRODUCT / Item                        | Colour  | Ø (mm) | Length (m) | Pack of (PCS) |
|---------------------------------------|---|--------|------------|---------------|
| <b>SPEEDY HELIX 5/10</b><br>7139-0025 | <br>Yellow | 5      | 10         | 1             |
| <b>SPEEDY HELIX 5/15</b><br>7139-0026 |   | 5      | 15         | 1             |
| <b>SPEEDY HELIX 5/20</b><br>7139-0027 |   | 5      | 20         | 1             |
| <b>SPEEDY HELIX 5/25</b><br>7139-0064 |   | 5      | 25         | 1             |
| <b>SPEEDY HELIX 5/30</b><br>7139-0028 |   | 5      | 30         | 1             |
| <b>SPEEDY HELIX 5/50</b><br>7139-0029 |   | 5      | 50         | 1             |
| <b>SPEEDY HELIX 5/60</b><br>7139-0030 |   | 5      | 60         | 1             |


Other dimensions available on request



## SPEEDY HELIX 4

Polyester tape Ø 4 mm with interchangeable eyelet and head\*.

Twisted tapes, very strong, extremely flexible and light. They pass the "4 curves test" on both rigid and corrugated pipes, but they can also avoid to have an intermediate box, and even if bent on themselves they do not break.

| PRODUCT / Item                        | Colour  | Ø (mm) | Length (m) | Pack of (PCS) |
|---------------------------------------|---|--------|------------|---------------|
| <b>SPEEDY HELIX 4/10</b><br>7139-0031 | <br>Orange | 4      | 10         | 1             |
| <b>SPEEDY HELIX 4/15</b><br>7139-0032 |   | 4      | 15         | 1             |
| <b>SPEEDY HELIX 4/20</b><br>7139-0033 |   | 4      | 20         | 1             |
| <b>SPEEDY HELIX 4/30</b><br>7139-0034 |   | 4      | 30         | 1             |

Other dimensions available on request

\* Supplied with flexible head curve guide and pulling eyelet






The tape is complete of repairing kit

## SPEEDY GLASS

Interchangeable head "self-starting" fibreglass Ø 3 mm cable pullers\*.

Suitable for light use, even on long lengths, easy to use thanks to their "nervous" elasticity which makes easier their positioning in pipes and conduits.

| INTERC. head                          |   |        |            |               |
|---------------------------------------|---|--------|------------|---------------|
| PRODUCT / Item                        | Colour  | Ø (mm) | Length (m) | Pack of (PCS) |
| <b>SPEEDY GLASS 3/10</b><br>7139-0035 | <br>Yellow | 3      | 10         | 10            |
| <b>SPEEDY GLASS 3/15</b><br>7139-0036 |   | 3      | 15         | 10            |
| <b>SPEEDY GLASS 3/20</b><br>7139-0037 |   | 3      | 20         | 10            |
| <b>SPEEDY GLASS 3/25</b><br>7139-0060 |   | 3      | 25         | 10            |
| <b>SPEEDY GLASS 3/30</b><br>7139-0038 |   | 3      | 30         | 10            |

Other dimensions available on request


\* Supplied with flexible head curve guide and pulling eyelet



## SPEEDY STEEL

Nylon-steel tape Ø 6 mm complete of all accessories.









Nylon-steel tapes are extremely robust, and are made of an internal core 4 x 1,5 mm steel made, coated with a nylon layer. Particularly suitable for industrial use with heavy duty. Use in installations without voltage.

| PRODUCT / Item                        | Colour   | Ø (mm) | Length (m) | Pack of (PCS) |
|---------------------------------------|--|--------|------------|---------------|
| <b>SPEEDY STEEL 6/20</b><br>7139-0039 | <br>Green | 6      | 20         | 1             |
| <b>SPEEDY STEEL 6/25</b><br>7139-0061 |  | 6      | 25         | 1             |
| <b>SPEEDY STEEL 6/30</b><br>7139-0040 |  | 6      | 30         | 1             |
| <b>SPEEDY STEEL 6/40</b><br>7139-0041 |  | 6      | 40         | 1             |
| <b>SPEEDY STEEL 6/50</b><br>7139-0062 |  | 6      | 50         | 1             |
| <b>SPEEDY STEEL 6/60</b><br>7139-0063 |  | 6      | 60         | 1             |










Other dimensions available on request

## ACCESSORIES





For Speedy Sonda and Speedy Helix cable pullers.

| PRODUCT    | Item      | Description               | Pack of (PCS) |   |
|------------|-----------|---------------------------|---------------|---|
| Speedy TFG | 7139-0042 | Flexible head curve guide | 3             |  |
| Speedy TFC | 7139-0043 | Flexible head with sheave | 3             |  |
| Speedy OTL | 7139-0047 | Long pulling eyelet       | 3             |  |
| Speedy OTC | 7139-0044 | Short pulling eyelet      | 3             |  |
| Speedy BU  | 7139-0045 | Joint bush for fishtapes  | 3             |  |
| Speedy PN  | 7139-0050 | Pin M4 (for tape Ø 4 mm)  | 3             |  |
| Speedy AT  | 7139-0048 | Pulling slot              | 3             |  |
| Speedy CA  | 7139-0049 | Accessories kit           | 1             |  |

For Speedy Glass cable pullers.

| PRODUCT    | Item      | Description               | Pack of (PCS) |   |
|------------|-----------|---------------------------|---------------|---|
| Speedy REP | 7139-0051 | Repairing kit             | 3             |    |
| Speedy TFG | 7139-0042 | Flexible head curve guide | 3             |    |
| Speedy TFC | 7139-0043 | Flexible head with sheave | 3             |   |
| Speedy OTL | 7139-0047 | Long pulling eyelet       | 3             |  |
| Speedy OTC | 7139-0044 | Short pulling eyelet      | 3             |  |
| Speedy BU  | 7139-0045 | Joint bush for fishtapes  | 3             |  |
| Speedy PNG | 7139-0046 | Pin for Speedy Glass tape | 3             |  |
| Speedy AT  | 7139-0048 | Pulling slot              | 3             |  |
| Speedy CA  | 7139-0049 | Accessories kit           | 1             |  |

For Speedy Steel cable pullers.

| PRODUCT   | Item      | Description               | Pack of (PCS) |   |
|-----------|-----------|---------------------------|---------------|---|
| Speedy MO | 7139-0072 | Snap link                 | 3             |  |
| Speedy TS | 7139-0069 | Flexible head curve guide | 3             |  |
| Speedy OL | 7139-0071 | Clamping device           | 3             |  |
| Speedy RS | 7139-0070 | Sliding wheel device      | 3             |  |

Available upon request.

| PRODUCT         | Item      | Description                             | Pack of (PCS) |         |
|-----------------|-----------|---|---------------|---------|
| Speedy AS       | 7139-0054 | Reels with support                      | 1             | (see A) |
| Speedy AF       | 7139-0053 | Reels on frame                          | 1             | (see B) |
| Speedy AFS      | 7139-0055 | Steel reels on frame                    | 1             | (see C) |
| Speedy PR Glass | 7139-0052 | Repairing pliers for Speedy Glass tapes | 1             | (see D) |



(A)



(B)



(C)



(D)