

PRICE LIST JANUARY 2025 Link 2 Home










Listed in **LUCKINS**™

ISSUE I

Visit Our Website









CONTENTS

SMART CAMERAS

SMART DOORBELLS

10

13

SMART SECURITY LIGHTS

SMART LIGHTING

15

18

SMART ACCESSORIES

SMART HEATING CONTROL 19

Link@Home

Easy Set Up

Set up is easy and possible in as little as 10 seconds using the below set up methods:

Our plugs and lamps incorporate both Wireless and BLE connectivity which means when you open the app the device will pop up without any button press needed. All you need to do is add and confirm your wireless password and the device is added.


Using the manual mode (recommended) for video devices set up takes around 30 seconds with easy to follow on screen instructions.

You can use the Auto Scan feature to scan your network for new devices without manual intervention but note this set up mode can take up to 2 minutes.

Home and member management

You can add multiple homes or locations under one user log in and switch between them easily on the app home screen. You can also share devices and whole homes with other users and control what devices and features they have access to.

Note: All users will require a Free Link2Home Pro app account.



Smart Control - "Tap to Run"



Using the "Tap-to-Run" settings from the "Smart" menu you can create quick one touch shortcuts to a series of events. These "Tap-to-Run" events are then added as a shortcut in your "Home" screen.

For Example:

You could create an event called "Good morning" in this event you can turn on your lights, boil your kettle and turn up your thermostat.

Smart Control - "Automation"

Set up "Automation" tasks for individual devices or a group of devices are triggered external events. These events require no manual trigger and are triggered by external factors including:

Inter-device synchronisation: Activating one product feature when another product feature is activated. Such as turning on a light if camera motion is detected.


External environment: Split into two categories in weather and location.

Under weather changes you can link changes to temperature, humidity, weather, sunrise/sunset and windspeed.

Under location you can link changes to arriving or leaving a specific location.

Schedule: Set events to specific times on specific days.

For example: Set you outdoor lights to come on when you arrive within 500m of your home location and the sun has set.



Alarm settings and event recording

All camera devices feature sound and motion detectors and when triggered the app will take a snapshot of the event which is then saved in the apps "Message Center". You can also manually take snapshots and record video to your local device.

With all camera devices you can add a Micro SD card which will then record a 30 second video direct to the memory card when an alert is detected. These events can then be reviewed in the app's "Message Center".

Additionally, through the app you can subscribe to our cloud service* to record events to the cloud which can then be reviewed in the app.

*requires additional purchase.






CONTROL AT YOUR FINGERTIPS

Tap-to-Run

Using the "Tap-to-Run" settings from the "Smart" menu you can create quick one touch shortcuts to a series of events.



Alarm & Recording

All camera devices capture a snapshot of key events and will also record video based on events or 24/7 monitoring with no subscription charge!

Automation

Set up "Automation" tasks for individual devices or a group of devices are triggered by external events.

Home Management

You can add multiple homes or locations under one user log in and switch between them easily on the and home screen.



















The security of your devices and data is extremely important which is why we take various steps to ensure all your devices and data are secure.

- AES, HTTPS Encryption to ensure safety of data transmissions
- · WAN Encryption and LAN Encryption
- Virtual device, instantly recoverable even after hacker attack

Network Wide Safety

- Encryption We use financial security grade AES data encryption. It can't be decrypted even if a device is lost
- Authentication Link2Home's self algorithm ensures data isolation and triple level checks of authentication
- Dynamic Key Dynamic key allocation means safety is also ensured even if the algorithm is exposed
- HTTPs encrypted channel ensures safe Network transmission

Local Network Safety

- Device Isolation This isolates devices when not communicating with each other for better security
- AES Encryption Encrypted transmission in your local area network
- Dynamic Key Algorithm dynamic allocation when connecting to a network







Link Home







Bluetooth

Wif

Zigbee

Different technology for different applications.

What are your particular IoT needs? How big is your house? How far away are your devices? What kind of speed and reliability do you require? What is your budget?

For the home, what Wi-Fi gives you in bandwidth you lose in battery power and range, and what you gain in range and battery life with Zibgee you lose in bandwidth. So, if your devices and endpoints are running on batteries, Zigbee is probably the better choice.


Zigbee is also a better choice when you want a better range from your product without interference. Zigbee products can send data up to 100m in an open space vs 20-30 using WiFi.

Bluetooth enabled products allow you to set up products quickly and easily without needing to search for product. Our lamp range and Smartplug both feature Bluetooth technology. This means when setting up new products as long as you have Bluetooth enabled on your device, then the app will find the product automatically. You can then also use our remote control product RMT01 to control your lights and sockets locally.

The goods news is our app and products use a combination of all 3 technologies where appropriate

Note with Zigbee products you will require a Zigbee gateway to connect your products but once installed you can add multiple devices to one gateway. SMART DOORBELLS

OUTDOOR BATTERY DOORBELL



SPECIFICATION

Outdoor Battery powered Doorbell Camera 140° Viewing Angle
High power LED with ICR
1/3" CMOS
2 Mega Max picture size: 1920 × 1080
IR distance: 10m
Up to 3 months battery life*
Local still image capture and video*
I year warranty




OUTDOOR BATTERY DOORBELL

ITEM /	PART	NO					TRADE	
L2H-BE	LLBAT	TERY					£109.00	
0			Also.	++	(1°2	0	0	



OUTDOOR WIRED DOORBELL



SPECIFICATION

Outdoor Doorbell Camera
High power LED with ICR
1/3" CMOS
2 Mega Max picture size: 1920 × 1080
IR distance: 10m
Includes power adaptor with UK plug
Local still image capture and video*
I year warranty

*Requires SD card (not included) Max 128GB



OUTDOOR WIRED DOORBELL

ITEM / PART NO)				TRADE
L2H-BELLWIRED)				£82.00
₩F Parish	250	₹. ₹.	0	0	SQ





^{*}Requires SD card (not included) Max 128GB

^{*}based on 10 activations per day

SMART DOORBELLS

DOORBELL BELL CHIME



SPECIFICATION

Chime Kit – For use with battery and hardwired doorbells

Power 5VIA USB

4 Selectable Tones

20M Wireless range

120DB chime – Selectable volume

I year warranty



DOORBELL BELL CHIME

ITEM / PA	ART NO				TRADE	
L2H-BEL	LCHIME				£18.00	
((A)	o⊷⊜	(1)	Ø	⊜		



INDOOR CAMERA WITH PAN/TILT



SPECIFICATION

WIFI camera
Pan/Tilt
High power LED with ICR
I/3" CMOS
2 Mega Max picture size: 1920 × 1080
IR distance: 10m
Local still image capture and video*
I year warranty

*Requires SD card (not included) Max 128GB



INDOOR CAMERA WITH PAN/TILT

ITEM .	PART NO					TRADE
L2H-C	CAMERAP/	г				£76.00
® se		250	**	<u>C</u>	0	




SMART CAMERAS

OUTDOOR WI-FI CAMERA



SPECIFICATION

Outdoor Weatherproof Wi-Fi Camera
High power LED with ICR for clear Night Vision
1/3" CMOS
2 Mega 1920 × 1080 HD Sensor
IR Sensor distance: 15m
Works with Alexa and Google
Local still image capture and video*
I year warranty





OUTDOOR WI-FI CAMERA

ITEM /	PART NO					TRADE	
L2H-C	DRCAME	RA				£75.00	
(· ·	•	\$10	44	C	0	(3)0	




OUTDOOR WI-FI CAMERA WITH PAN/TILT



SPECIFICATION

Pan 0 – 350° and Tilt -90-30° Auto Tracking 130° Angle of view High power LED with ICR Full Colour Night Vision 1/3" CMOS, 2 Mega Pixel Stills Max picture size: 1920 × 1080 IR distance: 10m Local still image capture and video* I year warranty





OUTDOOR WI-FI CAMERA WITH PAN/TILT


ITEM / PA	ART NO			TRADE
	RCAMPT2			£140.00
© Wi-R	(S) 70.40-30 8m > 100	(i)	No. of Concession, Name of	In and Speed with violates
\$ \$ 1	£ (20)	a Ac	A-C	






SMART SECURITY LIGHTS

OUTDOOR WATERPROOF PORCH CAMERA



SPECIFICATION

Pan 0 – 120° Auto Tracking 12W 1000 lm (adjustable) 130° Angle of view High power LED with ICR 1/3" CMOS, 3 Mega Pixel Stills 2K picture size: 2300 × 1296 IR distance: 10m Local still image capture and video* I year warranty





OUTDOOR WATERPROOF PORCH CAMERA

ITEM / PAR	T NO	TRADE
L2H-PRHC	AMBK	£140.00
2K	Middle Spinish States	<u> </u>
n fin		1000 🚇 👲




FLOODLIGHT WITH PIR + CAMERA



SPECIFICATION

IP54 Weatherproof
140° Viewing Angle
Lamp power(W): 12.5W x 2
2000lm
125dB Alarm
High power LED with ICR
1/3" CMOS, 2 Mega Pixel Stills
Max picture size: 2680 × 1440P
IR distance: 10m
Local still image capture and video*
I year warranty





FLOODLIGHT WITH PIR + CAMERA

ITEM / PART NO	WIFI ENABLED	FIELD OF VIEW	TRADE
L2H-FLOODCAM2-BLACK	YES	120°	£145.00
L2H-FLOODCAM2-WHITE	YES	120°	£145.00
	₩ LED	3	# 80
	- <u>-</u> - 2000 [G ()	0 0



SMART LIGHTING

WIFI LED RGB LAMP - B22 / E27 / E14

SPECIFICATION

Power: 9W

Colour Temperature: 2700 – 6500K + RGB

Luminous Flux: 800lm Lifespan: 15000H Beam Angle: 200° Driver Type: Linear Driver

Dimmable I year warranty



WIFI LED RGB LAMP - B22 / E27

ITEM / PART NO	TRADE
L2H-B229W	£12.50
L2H-E279W	£12.50









EI4 WI-FI LED RGB LAMP

ITEM / PART NO	TRADE
L2H-E145W	£12.50

SPECIFICATION

Base: E14 Power: 4.5W Colour Temperature: 2700 - 6500K + RGB Luminous Flux: 400lm Lifespan: 15000H Beam Angle: 200° Driver Type: Linear Driver Dimmable



GUIO WIFI LED RGB LAMP



SPECIFICATION

Base: GUI0 Power: 4.8W Colour Temperature: 2700 - 6500K + RGB Luminous Flux: 400lm Lifespan: 15000H Beam Angle: 100° Driver Type: Linear Driver Dimmable



GUIO WIFI LED RGB LAMP

I year warranty

ITEM / PART NO	TRADE
L2H-GU105W-SINGLE	£11.50
L2H-GU105W-4PK	£38.00







I year warranty

SMART LIGHTING

LED LIGHT STRIP WITH RGB CCT



SPECIFICATION

The Link2Home Strip light uses LEDs to change the light to suit your mood including music sync Power: 6W/M +3.5W/M+3.5W/M

Total LED Quantity: 90LEDs/M

Lumen: 230LM/M

Colour Temperature: 2700-6500K+RGB

Lifespan: 20000H Beam Angle: 120° Dimmable

Wi-Fi Protocol: 2.4GHz

Wi-Fi Standard: IEEE 802.11b/g/n

Bluetooth Protocol: 4.0

Bluetooth Standard: IEEE 802.15.1b/g/n

I year warranty



IP68 tape only

LED LIGHT STRIP WITH RGB CCT

ITEM / PART NO	TRADE
L2H-STRIPRGBCCT	£36.00
L2H-I0MSTRIP	£75.00

















SPECIFICATION

Control your appliances from your smart phone from anywhere in the world with an internet connection

Use your smart phone to set up multiple timer programs, countdown functions easily with more control down to the minute

Link your plug to events (such as location and weather) and other devices using the in-app automation setting

Wi-Fi: 802.11 b/g/n

13A Single-pole, 230V~, 50Hz

I year warranty



INDOOR SMART PLUG

ITEM / PART NO	TRADE
L2H-SMARTPLUG	£14.00











CONTROL

SMART HEATING

ZIGBEE THERMOSTATIC RADIATOR VALVE



SPECIFICATION

ZIGBEE Thermostatic Radiator Valve 0.5° setting accuracy 5 – 35 °Setting Range LCD Display Battery operated $(2 \times AA)$ Anti Freeze Protection 7-day programming P4/P6 Day Programming Wi-Fi standard: 2.412GHz-2.484GHz I year warranty



*Requires a Zigbee Gateway (L2H-ZGBEGWAY) to work

ZIGBEE THERMOSTATIC RADIATOR VALVE

L2H-TRVZGE £49.	DE
)0
L2H-ZGBEGWAY £32.	00
















Pictured: L2H-ZGBEGWAY

WIFI RF THERMOSTAT



SPECIFICATION

Control your appliances from your smart phone from anywhere in the world with an internet

Use your smart phone to set up multiple timer programs, countdown functions easily with more control down to the minute

Link your plug to events (such as location and weather) and other devices using the in-app automation setting

Wi-Fi: 802.11 b/g/n

13A Single-pole, 230V~, 50Hz

I year warranty



WIFI RF THERMOSTAT

ITEM / PART NO	TRADE
L2H-WFTHERMO	£152.00





ITEM	PAGE
D	
DOORBELL BELL CHIME	9
F	
FLOODLIGHT WITH PIR + CAMERA	14
1	
INDOOR CAMERA WITH PAN/TILT	10
INDOOR SMART PLUG	18
L	
LED LIGHT STRIP WITH RGB CCT	17
0	
OUTDOOR BATTERY DOORBELL	7
OUTDOOR WATERPROOF PORCH CAMERA	13
OUTDOOR WI-FI CAMERA	11
OUTDOOR WI-FI CAMERA WITH PAN/TILT	12
OUTDOOR WIRED DOORBELL	8
w	
WIFI LED RGB LAMP - B22	15
WIFI LED RGB LAMP - E14	15
WIFI LED RGB LAMP - E27	15
WIFI LED RGB LAMP - GUI0	16
WIFI RF THERMOSTAT	20
z	
ZIGBEE GATEWAY	19
ZIGBEE THERMOSTATIC RADIATOR VALVE	19



Distributed by GH Lucas & Co.







G H Lucas & Co. Ltd

Unit B5 Leasows Court, Hortonwood West, Telford, Shropshire, TF1 7AF 01952 913 444 | sales@ghlucas.co.uk





Visit Our Website



www.ghlucas.co.uk Listed in **LUCKINS****